Journal of
APPLIED POLYMER SCIENCE

Volume 52, 1994

EDITOR
Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR
Herman F. Mark

ASSOCIATE EDITORS

Clive Bosnyak
Polycarbonate Research
Dow Chemical U.S.A.
B-1470A
Freeport, TX 77541

Stam G. Mylonakis
EniChem America Inc.
2000 Cornwall Road
Monmouth Junction,
NJ 08852

Brian W. Pengilly
Goodyear Tire &
Rubber Company
P.O. Box 3531
Akron, OH 44309-3531

Debra Wilfong
Memory Technologies
Group
3M Company
3 M Center/236-3C-O2
St. Paul, MN 55144-1000

ADVISORY BOARD

B. M. Baysal
N. M. Bikales
W. Bonfield
D. C. Bonner
S. H. Carr
M. E. Carrega
R. E. Cohen
J. R. Collier
J. M. G. Cowie
A. Crowson
J. A. Cuculo
J. M. DeSimone
A. T. DiBenedetto
R. K. Eby
G. W. Ehrenstein
M. S. El-Aasser
F. Garbassi
P. H. Geil
W. Glasser
I. R. Harrison
A. Hiltner
J. D. Idol
R. Ikeda
S. H. Kandil
J. L. Kardos
A. Keller
F. N. Kelley
L. Konczol
M. Kryszewski
J. L. Leblanc
V. Malpass
L. Manring
K. Matsushige
K. A. Mauritz
G. Mayer
J. M. Mays
T. J. McCarthy
R. D. Miller
C. L. Myers
L. Nicolais
I. Noda
M. M. O'Mara
N. Ogata
E. F. Oleynik
M. S. Parthasarathy
D. R. Paul
N. A. Peppas
N. A. Plate
G. Poehlein
R. S. Porter
R. E. Prud'homme
M. Raab
L. Rebenfeld
F. Rodriguez
A. Rudin
R. Salovey
M. Sawamoto
L. Shi
A. Siegmann
A. W. Snow
L. H. Sperling
D. R. Squire
H.-M. Tan
S. Tripathy
R. Vera-Graziano
I. M. Ward
J. L. White
G. Wilkes
K. J. Wynne

Editorial Production, John Wiley: Geri Burgert, Sheila Kaminsky

The *Journal of Applied Polymer Science* (ISSN 0021-8995) is published weekly, four volumes per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Copyright © 1994 John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under secton 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 27 Congress Street, Salem, MA 01970, (508) 744-3350, fax (508) 745-9379. Second-class postage paid at New York, NY, and at additional mailing offices.

The code and copyright notice appearing at the bottom of the first page of an item in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price (Volumes 51–54, 1994): $4,692.00. in US, $5,242.00 in Canada and Mexico, $5,448.00 outside North America. All subscriptions outside US will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for change of address. For subscription inquiries, please call (212) 850-6645.

Postmaster: Send address changes to *Journal of Applied Polymer Science*, Susan Malawski, Subscription Fulfillment and Distribution, Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Advertising/Sales: Inquiries concerning advertising should be forwarded to Roberta Frederick, Advertising Sales, John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158, (212) 850-8832. Advertising Sales, European Contact: Michael Levermore, Advertising Sales Manager, John Wiley & Sons, Ltd., Baffins Lane, Chichester, Sussex PO19 1UD, England.

Other Correspondence: Address all other correspondence to: *Journal of Applied Polymer Science*, Publisher, Interscience Division, Professional, Reference, and Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed or abstracted in *Applied Mechanics Reviews, Chemical Abstracts, Chemical Titles, Current Contents/Engineering, Technology, and Applied Sciences, Current Contents/Physical, Chemical, and Earth Sciences, Engineering Index, Excerpta Medica, RAPRA Abstracts, Research Alert (ISI), Science Citation Index (ISI),* and *SCISEARCH Database (ISI).*

This journal is printed on acid-free paper

Journal of Applied Polymer Science

Subject Index to Volume 52

Acetals, 591
Acidimetric titration, 91
Acoustic wave propagation, 329
Acrylic rubber (ACM), crosslinking, 1233
Additives, 905
Adhesion, 195, 207
—, of UHMWPE fibers, 1785
Adhesive joints, 967
Adhesive shear strength, 967
Adhesive tensile strength, 967
Adhesives, 737, 1857
Admixtures, 1837
Adsorption, Pluronics, 539
Agar dish test, 583
Aldehydes, analysis, 55
Anions, 1447
Anisotropy, 1405
Annealing, 163
Annealing baths, 1031
Antheraea assama silk fibers, 775
Antibacterial activity, of surface-treated fibers, 641
Antioxidants, 1063
Aramid surface reactivity, 1047
Arbusov reaction, 1273
Arbuzov reaction, 449
Aromatic polyimides, 1751
Attenuated total reflectance (ATR), 737
Avrami exponent, 605
Avrami plots, 649

Biaxially oriented polypropylene (BOPP) films, 1405
Biaxial orientation, 217, 231
Biaxial oriented short-cut carbon fibers, 1223
Bifunctional ion-exchange resins, 1273
Binders, 789
Biodegradable plastics, 1357
Biomass pyrolysis, 747
Bisphenol A-tetrabromobisphenol A copolycarbonates, 467
Blend miscibility, 1431, 1499
Blends, 99, 177, 195, 207, 285, 301, 315, 353, 483, 525, 617, 663, 727, 847, 1007, 1023, 1063, 1115, 1129, 1191, 1279, 1357, 1365, 1383, 1411, 1431, 1499, 1577, 1653, 1695, 1765, 1837
Bowing distortion, 1393
Brabender plastograph, 1383
Brittle fracture, 1815
Bulk polymerization, 1949
Burst mode, 329

^{13}C NMR spectroscopy, 755, 1015
Caprolactam, 1249
Carbonate–carbonate exchange, 1383
Carbon fibers, 1667
Casein, 1069
Cast film fabrication variables, 365
Cast film processes, 365
Cation-exchange capacity, 531
Cationic biocides, 641
Cationic copolymers, 763
Cationic exchangers, 61
Cationic polyelectrolytes, 1317
Cationic resins, 61
Cavitation, 177
Cellulose acetate benzoate flat osmotic membranes, 1031
Cellulose esters, 525
Cellulose fillers, 605
Cellulose membranes, 959
Ceric ion-initiated graft copolymerization, 1557
Ceric ion-initiated polymerization, micellar effects, 1549
Chain sequence architecture, 467
Chain transfer agents, 789
Chain transfer agents (CTA), 1105
Charged mosaic membranes, 1
Charge transfer (CT) complexes, 1005
Chelating resins, 21
Chemical amplification, 727
Chemical etching, 1785
Chemical modification, 1037
Chemical recycling, 1353
Chlorinated hydroxyrubber, 917
Chlorination, 917
Chlorofluorocarbons (CFCs), 1459
Coatings, 387, 917
Cocrystallization, 207
Cold remote nitrogen plasma (CRNP), 1595
Comb-type polymers, 887
Commingled plastic beams, 315
Commingled plastic waste, 301, 315
Compatibilization, 195, 483
Compatibilizer, 1695
Composite films, 711
Composites, 121, 135, 147, 163, 421, 1091, 1203, 1223, 1279, 1489, 1949
Composting, 1477
Compression creep behavior, 569
Compression molded plaques, 549
Compression relaxation tests, 549
Concentrated emulsion polymerization, 1949
Concentrated emulsions, 1949
Concentric cylinder rheometry, 721
Conductive polymer thermoelements, 1005
Continuous carbonization, 945
Controlled release, of proteins, 1797
Controlled rheology, 905

Copolyester melts, 1529
Copolyesterimides, 1751
Copolymer composition, 1809
Core-shell rubbers, 177
Corona discharges, 1293
Covalent bonding, 1847
Crack propagation, 967
Craze-tip deformation zone, 135
Crazing, 121, 135, 147, 231, 1933
Creep, 569
Cross-linked asymmetric membranes, 813, 825
Cross-linking, 701, 813, 1719, 1823
Crosslinking, 577, 1153, 1233
Crosslinking wet spinning, 1181
Crystallinity, in ramie fibers, 1687
Crystallizability enhancement, 1383
Crystallization, 207, 847, 875, 887
Crystallization analysis fractionation, 491
Crystallization kinetics, 605, 649
Cure gradient, 737
Cure synergism, 597
Cure through volume (CTV), 737
Cured epoxy resins, 107
Cured resins, 1373
Curing, 401, 437
Cyclotrimerization, 895

Deformation zone, 135, 147
Degradation, 39, 1327, 1731
Degrees of substitution (DS), 755
Depolarized light intensity (DLI) analysis, 1529
Deposition rate measurements, 1595
Deswelling kinetics, 85
Dielectric relaxation peaks, 1577
Dielectric spectroscopy, 737
Dielectrical spectroscopy, 1765
Differential scanning calorimetry (DSC), 577, 649, 775, 875, 951, 1327, 1383, 1411, 1499
Diffuse reflectance spectroscopy, 1361
Diffusion coefficients, 1241
Dilatometer, 401
Disc cracking, 457
Discrete relaxation time spectrum, 629
Disorder parameter, in ramie fibers, 1687
Dispersion stability, of alumina, 997
Draw ratio, 1505
Draw ratio (DR), 1211
Draw stress, 243
Drug delivery systems, 763
Drug-delivery systems, 1797
Drug release behavior, of hydrogels, 837
Ductile brittle transition temperature (DBTT), 1115
Ductile–brittle transition temperature (DBTT), 1891
Ductile-to-quasi-brittle transition, 243, 255, 269
Dye uptake, 769
Dyeability, of silk fabrics, 769
Dynamic mechanical analyses (DMA), 875, 1137, 1411, 1775, 1823
Dynamic vulcanization, 483

Egyptian bagasse pith, 61
Elastic stress distribution, 231
Electrical conductivity, of composites, 1223
Electrochromic devices, 711
Electrochemical polymerization, 1489
Electrogenerated zero-valent nickel catalyst, 1569
Electron spectroscopy for chemical analysis (ESCA), 1419
Electron-beam irradiation, 1047
Electronic states, 1569
Electropolymerization, of composites, 1203
Emulsion polymerization, 1105
End-linked silicone networks, 1619
Environmental factors, and grafted casein films, 1069
Epoxides, 1037
Epoxidized liquid natural rubber (ELNR), 1309
Epoxy adhesive films, 1775
Epoxy resin systems, 663
Epoxy resins, 107, 1137, 1339, 1775
—, flexibility, 1373
—, internal stress, 1373
Equilibrium spreading, 431
Equilibrium swelling, 1619
ESR spectroscopy, 1539
Ester–carbonate transesterification, 1383
Extruder twin screw, 1063

Failure mechanisms, 269
Fast pyrolysis, 747
Fatigue loading, 1815
Fenton's-reagent-initiated graft copolymerization, 857
Fiber-reinforced composites, 1279
Fiber-reinforced polysulfone, 1279
Fiber reinforcement, 649
Fibers, 641, 861, 945, 1023, 1181, 1223, 1249, 1505, 1557, 1667, 1675, 1917
Fibrillation, 1837
Fibrils, 1731
Fick's law of diffusion, 163
Filled polymers, 243, 255, 269
Film deformation behavior, 1393
Films, 365, 377, 925, 1069, 1393, 1405, 1419, 1477, 1489, 1569, 1707
First normal stress function, 629
Flexible slabstock foams, 1459
Flexural modulus, 315
Flocculated latex particles, 1913
Flocculation, 1317
Flocculation test, 1447
Flory–Huggins interaction parameter, 29
Flory–Huggins χ interaction parameters, 1939
Flory–Rehner elasticity theory, 1619
Flow properties, of waxy crudes, 9
Fluorescence, 539
Fluorocarbon plasmas, 1419
Foams, 549, 569, 1459
Formaldehyde emissions, 689
Fourier transform infrared (FTIR) spectroscopy, 737, 1203, 1327, 1339, 1675
Fourier transform infrared-attenuated total reflection spectroscopy (FTIR-ATR), 1241
Fractography, 269

Fracture strain, 243, 255
Fracture toughness, 967, 1365, 1815
Free volume, 1191
FTIR–ATR method, 975
Functionality distribution, 1015
Functionalized Kraton block polymers, 997

Gas permeability, 29
Gel permeation chromatography (GPC), 1607
Gels, lower critical solution temperature (LCST) behavior, 85
Glass reactors, 1419
Glass transition temperature, 163, 217, 847, 1751, 1809
Glass-transition temperature, 507
Glucoside residues, 1759
Glycolysis, 869
Graessley's entanglement network theory, 629
Graftcopolymerization, 1675
Grafted casein films, effect of environmental factors, 1069
Grafting, 77, 413, 445, 515, 1047, 1069, 1411, 1557
Graphite fiber–polyacrylamide composites, electropolymerized, 1203
Group IIB metal oxides, 1233

^{1}H NMR spectroscopy, 755
Hard segment, 515
Heat distortion temperature, 1809
Hermans' parameter, 1223
High molecular weight CR, 1833
High molecular weight polymers, 525
High performance liquid chromatography, 597
High-performance liquid chromatography (HPLC), 1867
High-strength/high-modulus PVA fibers, 1181
High volatile organic content (VOC) coatings, 917
Hoffman–Voinov–Tanner law, 431
Hydrogel suspensions, 721
Hydrogels, 721, 783, 837, 1759
Hydrolysis, 1317, 1637
Hydrolytic degradation behavior, 1327
Hydroxamic acids, 1361

Impact modifiers, 177
Impact resistance, 483
Infrared (IR) spectra, 1165
Infrared (IR) spectroscopy, 755, 825, 1361, 1383
Interactive crazing, 147
Interdiffusion, 163
Interfacial adhesion, 1365
Interfacial failure, 195
Interfacial synthesis, 467
Interfacial two-step phosgenation process, 467
Interfacially compatibilized immiscible blends, 195
Interlaminar shear strength (ILSS), 1279
Intermolecular free volume, 663
Internal stress reduction, in cured epoxy resins, 107
Interpenetrating hydrogel networks, 837
Interpenetrating polymer network (IPN), 837, 1129
Intrinsic viscosity measurement, 69
In vitro degradation, 1327
Ion-exchange materials, 531
Ion-exchange resins, 1263, 1273
Ion exchange systems, 531
Ionic strength, 763
Irgafos 168, 905
Iron (III) chelation studies, 21
Irradiation, 99
Isocyanates, 895
Izod impact strength, 177, 1063

Jute fibers, 77

Kerner's equation, 255
Kinetics, 39, 857, 1549, 1557
—, of propylene polymerization, 1739

Langmuir adsorption mechanism, 1739
Latex paints, sorption processes, 975
Layer thickness, 121
LDPE/PP blends, 99
Ligands, 21
Lignin, 437
Lignocellulosic fibers, 1675
Liquefied wood, 1629
Liquid crystal photoresist, 577
Liquid crystalline polymers (LCPs), 1653
Liquid/gas headspace chromatography (l/g HSC), 55
Liquid natural rubber (LNR), 1309
Long-chain fatty acid cellulose esters (FACE), 755
Longitudinal striations, 775
Longitudinal (T1) relaxation time measurements, 1015
Lower critical solution temperature (LCST) behavior, of gels, 85

Macroporous polymer pellet, 701
Macroreticular chelating resins, 1153
Macroscopic constitutive model, 629
Maleated polyethylene (HDPE–MA), 1411
McGeary's experimentally measured binary, tertiary, and quaternary mixtures, 985
Mean-field theory, 1499
Mechanical alloying, 507
Mechanically processed polymeric material, 507
Melt blending, 1809
Melt-blending, 1365, 1653
Melt flow rate (MFR), 1115
Melt mixing, 1383
Melt spinning, 1249
Melt viscosity, 1905
Melting flow index (MFI), 1063
Melting viscosity, 1365
Membranes, 445, 813, 825, 951, 959, 1031, 1217, 1519
Mercaptans, 1105
Mesophases, 1529
Metal ions, 1361
Metal polychelates, 1361
Mica flakes, 107
Microcapsules, 1165
Microfibers, 1837

Microlayer composites, 163
Microscopic entanglement concept, 629
Microwave radiation (MWR), 377
Mode A ductile fracture surface, 269
Mode B ductile fracture surface, 269
Mode C quasi-brittle fracture surface, 269
Mode D quasi-brittle fracture surface, 269
Mode E fracture surface, 269
Model anaerobic adhesives, 737
Modular, intermeshing, corotating twin screw extruder, 1249
Molecular motion, 1175
Molecular motions, 1539
Molecular weight, 1607
Molecular weight cutoff (MWCO), 1519
Molecular weight distribution, 1505
Monomers, 449
Morphology–property relationships, 925
Multistep drawing, 1181

Natural rubber (NR) vulcanization, 597
Natural rubber vulcanizates, flame retardancy, 1309
Neck formation, 285
Necking, 243
Nielsen equation, 1091
Nitrogen cold plasma, 1047
Nonfunctionalized Kraton block polymer, 997
Nonisothermal differential scanning calorimetry (DSC), 605
Notch tip damage zone, 217, 231
Nuclear magnetic resonance (NMR), 1637
Nuclear magnetic resonance spectrometry (NMR), 1327
Nucleating agents, 591
Number average functionality, 1015
Nylon 6,6 fibers, 1081
Nylon 46 fiber, 861
Nylon 66 fiber, 861

Oil-containing resins, 905
Oligomeric triblock copolymers, 1905
Optical emission spectroscopy (OES), 39
Optimum particle volume fraction, 985
Organic substrates, 1549
Oriented poly(ethylene terephthalate) (PET) films, 925

Particleboard formaldehyde emissions, 689
Particleboard manufacturing, 437
Particle–particle interactions, 285
Particle size analysis, 1913
PC/SAN microlayer composites, 121, 135, 147
Peel tests, 207
Permeability, of water vapor, 29
Permeation, 951, 959, 1519
Peroxide induced reactions, 99
Pervaporation separation, 1217
pH, 763
Phase growth, 1
Phase-inversion, 813
Phase morphology, 301
Phase separation, 663, 727, 813, 1137, 1175, 1775, 1833
Phenol, 1629
Phenol–formaldehyde (PF) resins, adhesion, 1847
Phenol–water mixtures, 1217
Phosphonated groups, 449
Phosphorus modification, of ELNR, 1309
Phosphorylated polymers, synthesis of, 91
Phosphorylated polystyrene resins, 91
Photo-induced microphase separation, 727
Photooxidation, 1607
Phototackification, 727
Physisorption, of nitrogen, 1913
Pineapple leaf fiber (PALF), 1675
Plasma-activated surfaces, 445
Plasma treatment, 39
Plasticizer, 1939
Plastic wastes, 1357

Plastics, chemical crosslinks, 1587
Plastics, physical crosslinks, 1587
Pluronics, 539
Polarized optical microscopy, 1529
Poly(ethylene terephthalate) (PET), applications in food industries, 55
—, crystallization, 875
Poly(ethylene terephthalate) (PET) waste, 869
Poly(L-lactic acid)-coated polyisobutylcyanoacrylate microcapsules, 1797
Poly(vinyl chloride) (PVA)–plasticizer compatibility, 1939
Polyacrylonitrile (PAN)-based oxidized fibers, 945
Polyacrylonitrile (PAN)-grafted jute fibers, 77
Polyacrylonitrile precursor fiber, 1667
Polyelectrolytes, 1317, 1447
Polyester polyols, 869
Polyesterdiimide prepolymers, 69
Polyethylene terephthalate (PET), 1353
Polyimides, 421
Polymer additives, 649
Polymer–filler gel formation theory, 1925
Polymer/monomer interaction parameter, 1823
Polymer substrates, 1419
Polymeric biocides, 583
Polymeric layers, 1595
Polymeric steric stabilizers, 997
Polymeric surfactant, 997
Polymeric thermoresistant blends, 1765
Polymerization kinetics, 1879
Polyolefins, 491
Polypropylene (PP) fibrils, 1023
Polypyrrole, 1867
Polyurethane adhesives, 1857
Polyurethane foams, 1175
Polyurethane (PU) elastomers, 847
Positron annihilation lifetime spectroscopy (PALS), 1191

Pour-point depression, 9
Precrack hysteresis energy, 1891
Precursor polymer films, 377
Preferential polymer absorption, 813
Processing parameters, 1505
Product cycle times, 591
Proportional elastic limit (PEL) bending test, 1211
Proteins, 1797
Prussian blue films (PB), 711
Pseudo interpenetrating polymer networks (PIPNs), 1833
Pulse mode, 329
PVC–thermoplastic elastomer blends, 1577
Pyrex glass reactor, 1419

Radial distribution function (RDF) analysis, 1917
Radiolabelling, 539
Ramie fiber, 1687
Ramie fibers, 1917
Reaction mechanism, 857
Reactive functional groups, 1695
Rebound resilience, of sodium salts, 1719
Red #170 (pigment) polyurea microcapsules, 1165
Relative humidity, effect on nylon 6,6 fibers, 1081
Resins, 21, 91, 437, 457, 905, 1137, 1153, 1263, 1273
Respirable fibrils, 1731
Reverse osmosis, 825
Reverse-phase liquid chromatography, 895
RTSH industrial test, 387
Rubber blends, 1007
Rubber, chemical crosslinks, 1587
Rubber, physical crosslinks, 1587
Rubber-toughened blends, 1115

Scanning acoustic microscopy (SAM), 329
Scanning electron microscopy (SEM), 1, 301, 641, 1007, 1063, 1137, 1279
Secondary forces bonding, 1847
Seebeck coefficient, 1005
Segmented polyurethanes (SPU), 515
Selective laser sintering (SLS), 789
Semicrystalline polymers, 591
Settling experiments, 997
Sheath-core morphology, 1023
Shock tube technique, 747
Short-chain branching distribution (SCBD), 491
Silicone oils, 1619
Silicone rubber surfaces, oxidative degradation, 1293
Silk fabrics, 769
Silk fibers, 775, 1037
Silver-filled polymer coatings, 387
Silwet surfactants, 997
Single-pulse shock tube, 747
Single-screw extruder, 1383
Size exclusion chromatography (SEC), 1327
Slabstock foams, 549, 569, 1459
Slip-line field theory, 135
Slurry-phase propylene polymerization, 1739
Small-angle light scattering (SALS), 1529
Small-angle X-ray diffraction (SAXD), 861
Sodium salts, of rebound resilience, 1719
Soft segments, 1707
Solar ultraviolet radiation, 1731
Solid polymer electrolyte (SEP) production, 545
Solid-state ^{13}C-NMR, 1175
Solid-state extrusion technique, 1211
Solid-waste management, 1477
Solutes, permeation, 951, 959
Solution-phase photochemical grafting, 413
Solutions with suspended particles, 985
Solvent evaporation, 1707
Solvent replacement, 501
Solvent-dispersed filler particles, 1925
Solvents, 501
Spent ion-exchange resins, 1263
Spin probes, 1539
Spreading dynamics, 431
Stable crack growth, 217
Starch-based polymers, 617
Starch/EVAL blends, 353
Steady-shear viscosity, 629
Stereochemistry, 591
Stress–strain, 515
Stress–strain curve, 775
Structure to properties relationships, 1431
Structure-dependent factor $F(X)$, 1905
Structure–properties relationships, 1373
Sulfonation, 545, 825, 1273
Sulfonylation, 1499
Surface energies, of polyurethanes, 1857
Surface modifications, 1419
Surface sulfonation, 545
Surfactants, 1165, 1879
Suspended emulsion, 1879
Suspending agents, 1879
Swelling, 763, 1759
Swelling equilibria, of hydrogels, 783
Swollen gel particles, 721
Synthesized diimide–diacid monomer (DIDA*n*), 69
Synthetic gases, 747

Tantalum capacitors, 387
TBZ-containing monomer, 583
Tensile deformation, 285
Tensile properties, 1505
Tensile strength, 1667
Tensile stress, 549
Tentering process, 1393
Thermal expansion, 401
Thermal oxidative degradation, of epoxy resins, 1339
Thermal properties, of composites, 1091
Thermal stability, 1557
Thermally stimulated discharging currents (TSDC), 1765
Thermochemical stress crazing, 1933
Thermogravimetric analysis (TGA), 69, 1091, 1339
Thermo-oxidative stability (TOS) of fluorinated polyimides, 421
Thermoplastic interpenetrating polymer networks (IPN), 1129
Thermoplastics, 1933

Thermosensitive copolymers, 951
Thermoset cure shrinkage, 401
Thermosetting polymeric composite materials, 1241
Thermosetting resins, 457
Thermosetting wood adhesives, 1847
Thermosetting zone, 1393
Thermotropic liquid crystal (TLC) copolyesters, 1529
Thiazole-based accelerators, 597
Thin films, 285
Three-phase phase-transfer catalysts, 701
Three-variable Box-Behnken designed experiment, 365
Torque, 617
Total filler–bound polymer, 1925
Transmission electron microscopy (TEM), 1431
Transverse fiber breaks, 1081
Transverse stretching, 1393
Triphase Catalysis, 701
Twin-screw extruder, 1365
Twin screw extruders, 1249

Ultrafiltration membranes, 1519
Ultrahigh molecular weight polyethylene (UHMWPE) fibers, surface modification, 1785
Ultrasonic waves, 1405
Uniaxial tension, 285
Unifac procedure, 1823
Urea–formaldehyde-bonded wood products, 689
Urea–formaldehyde (UF) resins, 1637
Urea-formaldehyde matrix, 1263

VIS-breaking, 905
Viscosity, 1447
—, of solutions, 985
Volume fraction monomer, 783
Vulcanization, 1007, 1587
Vulcanized rubbers, 1309

Wagner's relationship, 629
Waste, 1353
Water absorption, 457
Water content, effects on blends, 353
Water uptake, 515
Water vapor permeability, of films, 1707
Water vapor sorption, 29
Wax crystals, 887
Waxy crudes, 9
Waxy hydrocarbon fluids, 887
Weathered polymers, 1607
Web tensile stresses, 365
Weibull distribution of crazing, 147
Wet coagulation method, 1707
White–Metzner model's irreversible factor, 629
Wide-angle X-ray diffraction (WAXD), 861, 887, 1411, 1917
Wood joints, 689
Wood liquefaction, 1629

X-ray photoelectron microscopy (XPS), 1
X-ray photoelectron spectroscopy (XPS), 39, 445, 1293
X-ray photoelectron spectroscopy (XPS) and attenuated total reflectance infrared spectroscopy (ATRIR), 413

Yield stress, 255, 1891
Young's modulus, 255

Journal of Applied Polymer Science

Author Index to Volume 52

Abis, L.
—; Braglia, R.; Camurati, I.; Merlo, E.; Natarajan, K. M.; Elwood, D.; Mylonakis, S. G.: Investigation of the Miscibility of Polycarbonate–Poly-(Ethyleneterephthalate) Blends: Solid-State H-NMR T_1 Relaxation Time Measurements, Transmission Electron Microscopy, and Structure–Properties Relationship, 1431

Aboulkassim, A.
—; Faid, K.; Chevrot, C.: Direct Electrodeposition of Thin-Layer (Phenylene–Carbazolylene) Copolymers, 1569

Agari, Y.
—; Ueda, A.; Nagai, S.: Electrical and Thermal Conductivities of Polyethylene Composites Filled with Biaxial Oriented Short-Cut Carbon Fibers, 1223

Akashi, M. See Fukudome, N., 1759

Akay, M.
—; Cracknell, J. G.: Epoxy Resin–Polyethersulphone Blends, 663

Albertsson, A.-C. See Löfgren, A., 1327

Alexandratos, S. D. See Trochimczuk, A. W., 1273

Ali, S. A. M.
—; Hourston, D. J.: Thermoplastic Interpenetrating Polymer Networks Based on a Poly(Styrene-*b*-Butadiene) Copolymer and an Ionically-Terminated Polybutadiene Ionomer, 1129

Alonso, M. J. See Park, T. G., 1797

Amalraj, R. V. See Rao, S. V. S., 1263

Amiji, M. M.
—; Park, K.: Analysis on the Surface Adsorption of PEO/PPO/PEO Triblock Copolymers by Radiolabelling and Fluorescence Techniques, 539

Andreassen, E.
—; Myhre, O. J.; Hinrichsen, E. L.; Grøstad, K.: Effects of Processing Parameters and Molecular Weight Distribution on the Tensile Properties of Polypropylene Fibers, 1505

Armistead, J. P. See Snow, A. W., 401

Armstrong, G. H.
—; Johnson, L.; Parker, A. A.: Effect of Polymeric Steric Stabilizers on the Settling of Alumina, 997

Asfardjani, K. See Callebert, F., 1595

Auriemma, F. See Parravicini, L., 875

Axelrod, R. J. See Robeson, L. M., 1837

Badyal, J. P. S. See Hamilton, L. M., 413

Baer, E. See Bazhenov, S., 243; Cheng, C., 177; Duvall, J., 195, 207; Haderski, D., 121; Li, J. X., 255, 269, 285; Li, T., 301, 315; Lisy, F., 329; Pollock, G., 163; Snyder, J., 217, 231; Sung, K., 135, 147

Bai, R. See Tong, J., 1373

Baker, J. P.
—; Blanch, H. W.; Prausnitz, J. M.: Equilibrium Swelling Properties of Weakly Ionizable 2-Hydroxyethyl Methacrylate (HEMA)-Based Hydrogels, 783

Balik, C. M.
—; Xu, J. R.: Simultaneous Measurement of Water Diffusion, Swelling, and Calcium Carbonate Removal in a Latex Paint Using FTIR–ATR, 975

Bánhegyi, G. See Tóth, A., 1293

Bantjes, A. See Feng, M., 21

Bao, J.
—; Xu, C.; Cai, W.; Bi, X.-T.: Electrically Conductive Composite of Polypyrrole and Liquid Crystalline Copoly(Ester-Amide)s, 1489

Barlow, J. W. See Vail, N. K., 789

Basu, D. K. See Debnath, S. C.; Naskar, N., 1007

Bazhenov, S.
—; Li, J. X.; Hiltner, A.; Baer, E.: Ductility of Filled Polymers, 243

Beaman, J. J. See Vail, N. K., 789

Berg, J. C. See Seaver, A. E., 431

Bertóti, I. See Tóth, A., 1293

Bhattacharya, M. See Vaidya, U. R., 617

Bhattacherjee, S. See Sao, K. P., 1687, 1917

Bhuyan, B. L. See Samal, R. K., 1675

Bi, X.-T. See Bao, J., 1489

Bianchi, R. See Parravicini, L., 875
Bidan, G. See Planche, M. F., 1867
Biswas, T. See Naskar, N., 1007
Blanch, H. W. See Baker, J. P., 783
Blazsó, M. See Tóth, A., 1293
Boccaccio, G. See Derouet, D., 1309
Bogdanić, G. See Vuković, R., 1499
Boggs, C. See Gardner, R. M., 1477
Bognar, A. See Tóth, A., 1293
Bohdanecký, M. See Šimek, L., 1905
Bourell, D. L. See Vail, N. K., 789
Boutevin, B.
—; Hamoui, B.; Parisi, J. P.: Synthesis and Polymerizations of Monomers Bearing Phosphonated Groups. I. Applications on Acrylates and Methacrylates, 449
Bowman, J. L. See Smith-Palmer, T., 1317
Braglia, R. See Abis, L., 1431; Romano, A. M., 1775
Brahatheeswaran, C. See Gupta, V. B., 107
Brambilla, R. See Smith, T. L., 591
Brash, J. L. See Santerre, J. P., 515
Breuer, O. See Silverstein, M. S., 1785
Brewster, S. L. See Marks, M. J., 1809
Brosse, J.-C. See Derouet, D., 1309; Poncin-Epaillard, F., 1047
Brown, G. R. See Caldas, V., 1939
Buchanan, C. M. See Gardner, R. M., 1477; White, A. W., 525
Bucknall, C. B.
—; Zhang, X. C.; Orton, M. L.; Jackson, G. V.: Water Absorption and Disc Cracking in Urethane–Methacrylate Resins, 457
Budtov, V. P. See Budtova, T. V., 721
Budtova, T. V.
—; Budtov, V. P.; Navard, P.; Frenkel, S. Ya.: Rheological Properties of Highly Swollen Hydrogel Suspensions, 721
Bui, L. K. See Smith, T. L., 591
Buncick, M. See Denes, F., 1419
Burford, R. P. See Byun, H. S., 813, 825
Byun, H. S.
—; Burford, R. P.: Preparation and Structure of Cross-Linked Asymmetric Membranes Based on Polystyrene and Divinylbenzene, 813
—; Burford, R. P.; Fane, A. G.: Sulfonation of Cross-Linked Asymmetric Membranes Based on Polystyrene and Divinylbenzene, 825

Cai, W. See Bao, J., 1489
Caldas, V.
—; Radiotis, T.; Brown, G. R.: Automated Microscopic Technique for Evaluating Poly(Vinyl Chloride)–Plasticizer Compatibility, 1939
Callaioli, A. See Paciello, G., 1765
Callebert, F.
—; Supiot, Ph.; Asfardjani, K.; Dessaux, O.; Goudmand, P.; Dhamelincourt, P.; Laureyns, J.: Cold Remote Nitrogen Plasma Polymerization from 1.1.3.3-Tetramethyldisiloxane–Oxygen Mixture, 1595
Campbell, N. See Smith-Palmer, T., 1317
Camurati, I. See Abis, L., 1431
Carr, R. H.
—; Hernalsteen, J.; Devos, J.: Determination of Functionality and Functionality Distribution of Polyether Polyols by Quantitative ^{13}C NMR Spectroscopy, 1015
Caulfield, D. F. See Quillin, D. T., 605
Chakravorti, M. C. See Chowdhury, P., 1233
Chang, C.-H. See Lee, W.-F., 69
Chang, F.-C.
—; Hsu, H.-C.: Precrack Hysteresis Energy in Determining Its Ductile–Brittle Transition. III. Effect of Temperature, 1891
—; See Liao, Z.-L., 1115
Chao, D. Y. See Kuo, Y. M., 1165
Chatterjee, A. K.
—; Phatak, S. D.; Murthy, P. S.; Joshi, G. C.: Comb-Type Polymers and Their Interaction with Wax Crystals in Waxy Hydrocarbon Fluids: Wide-Angle X-Ray Diffraction Studies, 887
Chen, C.-C. See Li, C.-H., 1751
Chen, C.-Y. See Wu, C.-J., 1695
Chen, D.-S. See Hsia, H.-C., 1137
Chen, I. See Lee, W.-F., 69
Chen, K.-M. See Li, C.-H., 1751
Chen, R.
—; Wu, Q.: Modified Lignosulfonate as Adhesive, 437
Chen, Z. See Xue, Y., 1833
Cheng, C.
—; Hiltner, A.; Baer, E.; Soskey, P. R.; Mylonakis, S. G.: Deformation of Rubber-Toughened Polycarbonate: Macroscale Analysis of the Damage Zone, 177
Cheng, K. L. See Yen, M. S., 1707
Chevet, B. See Poncin-Epaillard, F., 1047
Chevrot, C. See Aboulkassim, A., 1569

Cho, W. J. See Oh, S. T., 583
Choi, H. K. See Kim, I., 1739
Chowdhury, P.
—; Chakravorti, M. C.; Das, C. K.: The Cross-Linking of Acrylic Rubber in the Presence of Group IIB Metal Oxides, 1233
Chuang, I.-S.
—; Maciel, G. E.: NMR Study of the Stabilities of Urea–Formaldehyde Resin Components Toward Hydrolytic Treatments, 1637
Coudane, J. See Villain, F., 55
Courval, G.
—; Wang, L.-H.; Porter, R. S.: Properties of Oriented Polyethylene Bars of Large Cross Section, 1211
Cracknell, J. G. See Akay, M., 663

Das, C. K. See Chowdhury, P., 1233
De Petris, S. See Valenza, A., 1653
Debnath, S. C.
—; Basu, D. K.: Studies on Cure Synergism. I. Effect of Safe Zinc Dithiocarbamates on NR Vulcanization Accelerated by Thiazole-Based Accelerators, 597
Degroot, J. A.
—; Doughty, A. T.; Stewart, K. B.; Patel, R. M.: Effects of Cast Film Fabrication Variables on Structure Development and Key Stretch Film Properties, 365
Dell, P. A.
—; Kohlman, W. G.: Effects of Water Content on the Properties of Starch/Poly(ethylene–vinyl alcohol) Blends, 353
Demir, Y. See Pekcan, Ö, 1539
Denes, F.
—; Sarmadi, M.; Hop, C. E. C. A.; Buncick, M.; Young, R.: Silicon Contamination of Substrates in Fluorocarbon Plasmas Produced in Glass Reactors, 1419
Derouet, D.
—; Radhakrishnan, N.; Brosse, J.-C.; Boccaccio, G.: Phosphorus Modification of Epoxidized Liquid Natural Rubber to Improve Flame Resistance of Vulcanized Rubbers, 1309
Dessaux, O. See Callebert, F., 1595
Devos, J. See Carr, R. H., 1015
Dewar, P. See Smith-Palmer, T., 1317
Dhamelincourt, P. See Callebert, F., 1595
Di Dino, G. See Parravicini, L., 875
Dintzis, F. R. See Laszlo, J. A., 531
Dodiuk, H. See Silverstein, M. S., 1785
Dorschel, D. See Gardner, R. M., 1477
Doughty, A. T. See Degroot, J. A., 365
Durant, Y. G.
—; Sundberg, D. C.; Guillot, J.: A Comparison of Methods for the Estimation of Polymer/Monomer Interaction Parameters: The Polystyrene/*n*-Butyl Methacrylate System, 1823
Dušek, K. See Špírková, M., 895
Duvall, J.
—; Sellitti, C.; Myers, C.; Hiltner, A.; Baer, E.: Effect of Compatibilization on the Properties of Polypropylene/Polyamide-66 (75/25 Wt/Wt) Blends, 195
—; Sellitti, C.; Myers, C.; Hiltner, A.; Baer, E.: Interfacial Effects Produced by Crystallization of Polypropylene with Polypropylene-*g*-Maleic Anhydride Compatibilizers, 207

Ebewele, R. O.
—; River, B. H.; Myers, G. E.: Behavior of Amine-Modified Urea–Formaldehyde-Bonded Wood Joints at Low Formaldehyde/Urea Molar Ratios, 689
Edge, S. See Hamilton, L. M., 413
Egawa, H.
—; Yamabe, K.; Jyo, A.: Studies on Selective Adsorption Resins. XXXIII. Behavior of Macroreticular Chelating Resins Containing Phosphinic and/or Phosphonic Acid Groups in the Adsorption of Trivalent Lanthanides, 1153
El-Batanoney, M. H. See El-Gamal, I. M., 9
El-Gamal, I. M.
—; Ghuiba, F. M.; El-Batanoney, M. H.; Gobiel, S.: Synthesis and Evaluation of Acrylate Polymers for Improving Flow Properties of Waxy Crudes, 9
Elwood, D. See Abis, L., 1431
Endo, T. See Kanazawa, A., 641
Eysel, H. H. See Fischer, D., 545

Faïd, K. See Aboulkassim, A., 1569
Fane, A. G. See Byun, H. S., 825
Feast, W. J. See Hamilton, L. M., 413
Feijen, J. See Terlingen, J. G. A., 39
Femec, D. A.
—; McCaffrey, R. R.: Solvent Replacement in the Synthesis of Persubstituted Phosphonitrilic Hydroquinone Prepolymer Materials, 501
Feng, M.
—; Van Der Does, L.; Bantjes, A.: Iron (III) Chelating Resins. V. Cross-Linked Copolymers of 1-(β-

Acrylamidoethyl)-3-hydroxy-2-methyl-4 (1H) pyridinone (AHMP) and *N,N*-Dimethylacrylamide (DMAA) for Iron (III) Chelation Studies, 21
Fischer, D.
—; Eysel, H. H.: Analysis of Polyethylene Surface Sulfonation, 545
Foster, L. K. See Peppas, N. A., 763
Freddi, G.
—; Gotoh, Y.; Mori, T.; Tsutsui, I.; Tsukada, M.: Chemical Structure and Physical Properties of *Antheraea assama* Silk, 775
—; Tsukada, M.; Kato, H.; Shiozaki, H.: Dyeability of Silk Fabrics Modified with Dibasic Acid Anhydrides, 769
—; See Shiozaki, H., 1037
Frenkel, S. Ya. See Budtova, T. V., 721
Frezzotti, D. See Paciello, G., 1765
Frisch, H. L. See Xue, Y., 1833
Fu, H. See Jia, L., 29
Fujii, N. See Kobayashi, T., 1519
Fukudome, N.
—; Suzuki, K.; Yashima, E.; Akashi, M.: Synthesis of Nonionic and Anionic Hydrogels Bearing a Monosaccharide Residue and Their Properties, 1759
Furukawa, J.
—; Yamada, E.: Effect of Chemical and Physical Crosslinks on Strength of Rubber and Plastics—A Theoretical Approach, 1587

Gabriel, K. A. See Smith, T. L., 591
Ganguly, P. K. See Ghosh, P., 77
Garbassi, F. See Romano, A. M., 1775
Gardner, R. M.
—; Buchanan, C. M.; Komarek, R.; Dorschel, D.; Boggs, C.; White, A. W.: Compostability of Cellulose Acetate Films, 1477
German, A. L. See Janssen, E. A. W. G., 1913
Ghosh, K. See Maiti, S. N., 1091
Ghosh, P.
—; Ganguly, P. K.: Polyacrylonitrile (PAN)-Grafted Jute Fibres: Some Physical and Chemical Properties and Morphology, 77
Ghuiba, F. M. See El-Gamal, I. M., 9
Gobiel, S. See El-Gamal, I. M., 9
Gogos, C. G. See Yu, D. W., 99
Gohil, R. M.
Morphology–Property Relationship in Oriented PET Films: Microstructural Reorganization During Heat Treatment, 925
Gotoh, Y. See Freddi, G., 775; Shiozaki, H., 1037
Goudmand, P. See Callebert, F., 1595
Green, A. See Hamilton, L. M., 413
Grøstad, K. See Andreassen, E., 1505
Guerra, G. See Parravicini, L., 875
Guillot, J. See Durant, Y. G., 1823
Gupta, V. B.
—; Brahatheeswaran, C.: The Use of Mica Flakes for Reducing Internal Stress in Cured Epoxy Resin, 107
Güven, O. See Pekcan, Ö, 1539
Guyot, A. See Vindevoghel, Ph., 1879

Ha, C. S. See Oh, S. T., 583
Haderski, D.
—; Sung, K.; Im, J.; Hiltner, A.; Baer, E.: Crazing Phenomena in PC/SAN Microlayer Composites, 121
—; See Sung, K., 135, 147
Hamilton, L. M.
—; Green, A.; Edge, S.; Badyal, J. P. S.; Feast, W. J.; Pacynko, W. F.: The Surface Modification of Polyethylene by Solution-Phase Photochemical Grafting Using Short Irradiation Times, 413
Hamoui, B. See Boutevin, B., 449
Hara, H. See Iwase, Y., 1719
Harelle, L.
—; Pith, T.; Hu, G.-H.; Lambla, M.: Chain Transfer Behavior of Fractionated Commercial Mercaptans in Emulsion Polymerization of Styrene, 1105
Hatano, Y. See Lim, W. W., 967
He, Z. A. See Thames, S. F., 917
Henry, S. See Li, T., 301
Hernalsteen, J. See Carr, R. H., 1015
Hertler, W. R. See Simmons, H. E., III, 727
Highe, A. See Venkatraman, S., 1619
Hill, A. J. See Simon, G. P., 1191
Hiltner, A. See Bazhenov, S., 243; Cheng, C., 177; Duvall, J., 195, 207; Haderski, D., 121; Li, J. X., 255, 269, 285; Li, T., 301, 315; Lisy, F., 329; Pollock, G., 163; Snyder, J., 217, 231; Sung, K., 135, 147
Hinrichsen, E. L. See Andreassen, E., 1505
Hirai, A. See Jia, L., 29
Hirami, M. See Kudo, K., 861
Hirasawa, E. See Iwase, Y., 1719
Hoffman, A. S. See Park, T. G., 85; Terlingen, J. G. A., 39
Holding, S. R. See O'Donnell, B., 1607
Hong, S. G.
—; Wang, T. C.: Effect of Copper Oxides on the Thermal Oxidative Degradation of the Epoxy Resin, 1339

Hop, C. E. C. A. See Denes, F., 1419
Hourston, D. J. See Ali, S. A. M., 1129
Hsia, H.-C.
—; Ma, C.-C. M.; Li, M.-S.; Li, Y.-S.; Chen, D.-S.: Glycidyl-Terminated Polyurethane Modified Epoxy Resins: Mechanical Properties, Adhesion Properties, and Morphology, 1137
Hsu, H.-C. See Chang, F.-C., 1891
Hu, G.-H. See Harelle, L., 1105
Huang, B. See Wang, Y., 1411
Hwang, K.-S.
—; Lin, C.-A.; Lin, C.-H.: Preparation of High-Strength and High-Modulus Poly(Vinyl Alcohol) Fibers by Crosslinking Wet Spinning/Multistep Drawing Method, 1181

Ichimura, S. See Tong, J., 1373
Ikeda, T. See Kanazawa, A., 641
Im, J. See Haderski, D., 121
Imbert, E.
—; Souirti, A.; Menard, V.; Pfluger, F.; Jozefowicz, M.; Migonney, V.: DNA-like and Phospholipid-like Phosphorylated Polystyrenes: Characterization, Distribution of Functional Groups, and Calcium Complexation Properties, 91
Iroh, J. O.
—; Suhng, Y.; Labes, M. M.: Characterization of Electropolymerized Graphite Fiber–Polyacrylamide Composites, 1203
Ishizu, K.
—; Iwade, M.: Microstructure of Charged Mosaic Membranes Constructed by Phase Growth, 1
Iwade, M. See Ishizu, K., 1
Iwamoto, A.
—; Tokiwa, Y.: Effect of the Phase Structure on Biodegradability of Polypropylene/Poly(ε-caprolactone) Blends (Note), 1357
Iwase, Y.
—; Hara, H.; Hirasawa, E.: Comparative Study on Rebound Resilience and Structures of Sodium Salts of Maleic Anhydride-grafted Ethylene-*co*-ethyl Acrylates with Its Analogous Polymers, 1719
Iwata, H.
Grafting Poly(Vinyl Amine-co-Acrylic Acid)s on Poly(Vinylidene Fluoride) Membranes, 445

Jackson, G. V. See Bucknall, C. B., 457
Janssen, E. A. W. G.
—; Zirkzee, H. F.; German, A. L.; Maxwell, I. A.: Particle Sizing of Flocculated Latex Particles by Physisorption of Nitrogen, 1913
Jeszka, J. K. See Tracz, A., 1005
Ji, D. See Wang, Y., 1411
Jia, L.
—; Fu, H.; Xu, J.; Hirai, A.; Odani, H.: Studies on the Sulfonation of Poly(phenylene oxide) (PPO) and Permeation Behavior of Gases and Water Vapor Through Sulfonated PPO Membranes. III. Sorption Behavior of Water Vapor in PPO and Sulfonated PPO Membranes, 29
Johnson, L. See Armstrong, G. H., 997
Joshi, G. C. See Chatterjee, A. K., 887
Jozefowicz, M. See Imbert, E., 91
Jyo, A. See Egawa, H., 1153

Kamble, K. J.
—; Patkar, D. N.: Synthesis and Characterization of Hydroxamic Acid Resin of Poly(4-Vinyl-2′-carboxybenzophenone), 1361
Kanazawa, A.
—; Ikeda, T.; Endo, T.: Polymeric Phosphonium Salts as a Novel Class of Cationic Biocides. VI. Antibacterial Activity of Fibers Surface-Treated with Phosphonium Salts Containing Trimethoxysilane Groups, 641
Karásek, L.
—; Meissner, B.: Experimental Testing of the Polymer–Filler Gel Formation Theory. Part I, 1925
Karasz, F. E. See Vuković, R., 1499
Kasai, N. See Shiozaki, H., 1037
Kato, H. See Freddi, G., 769
Kato, R. See Nishioka, N., 959
Katz, J. L. See Lisy, F., 329
Khanna, Y. P. See Smith, T. L., 591
Kim, I.
—; Choi, H. K.; Kim, J. H.; Woo, S. I.: Kinetics Study of Slurry-Phase Propylene Polymerization with Highly Active $Mg(OEt)_2$/Benzoyl Chloride/$TiCl_4$ Catalyst, 1739
Kim, J. H. See Kim, I., 1739
Kiriyama, S. See Kudo, K., 861
Kittek, M. R. See Robeson, L. M., 1837
Knoff, W. F.
Degradation of Respirable Fibrils of Poly(*p*-phenylene terephthalamide) by Solar Ultraviolet Radiation, 1731
Kobayashi, T.
—; Miyamoto, T.; Nagai, T.; Fujii, N.: Polyacrylonitrile Ultrafiltration Membranes Containing Negatively Charged Groups for

Permeation and Separation of Dextran and Dextransulfate, 1519
Kohlman, W. G. See Dell, P. A., 353
Komarek, R. See Gardner, R. M., 1477
Kothandaraman, H. See Rao, S. V. S., 1263
Koutsky, J. A. See Quillin, D. T., 605
Krakovský, I. See Špírková, M., 895
Kryszewski, M. See Tracz, A., 1005
Kubín, M. See Špírková, M., 895
Kudo, K.
—; Mochizuki, M.; Kiriyama, S.; Watanabe, M.; Hirami, M.: Studies on the Structure and Properties of Nylon 46 Fiber. I. Dimensional Stability, 861
Kumar, G.
—; Neelakantan, N. R.; Subramanian, N.: On the Compatibilization and Dynamic Vulcanization of Polyacetal/Ethylene Propylene Diene Terpolymer Blends, 483
Kuo, J.-F. See Wu, C.-J., 1695
Kuo, Y. M.
—; Wu, C. T.; Wu, W. H.; Chao, D. Y.: Effect of Surfactants on the Particle Sizes of Red #170 Polyurea Microcapsules, 1165
Kurešević, V. See Vuković, R., 1499
Kurihara, S. See Nonaka, T., 951
Kye, H.
—; White, J. L.: Continuous Polymerization of Caprolactam in a Modular Intermeshing Corotating Twin Screw Extruder Integrated with Continuous Melt Spinning of Polyamide 6 Fiber: Influence of Screw Design and Process Conditions, 1249
Kyo, S. See Yamashita, K., 577
La Mantia, F. P. See Valenza, A., 1653
Labes, M. M. See Iroh, J. O., 1203
Lai, K. B. See Rao, S. V. S., 1263
Lambla, M. See Harelle, L., 1105
Langer, R. See Park, T. G., 1797
Laszlo, J. A.
—; Dintzis, F. R.: Crop Residues as Ion-Exchange Materials. Treatment of Soybean Hull and Sugar Beet Fiber (Pulp) with Epichlorohydrin to Improve Cation-Exchange Capacity and Physical Stability, 531
Laureyns, J. See Callebert, F., 1595
Lee, K.-H. See Rhim, J.-W., 1217
Lee, S.-C.
—; Sze, Y.-W.; Lin, C.-C.: Polyurethanes Synthesized from Polyester Polyols Derived from PET Waste. II. Thermal Properties, 869
Lee, W.-F.
—; Chen, I.; Chang, C.-H.: Various Properties of Diimide–Diacid-Modified Saturated Polyesters, 69
—; Tsai, C.-C.: Aqueous Solution Properties of Poly(Trimethyl Acrylamido Propyl Ammonium Iodide) [Poly(TMAAI)], 1447
Legrand, D. G.
Thermochemical Stress Crazing and Cracking of Thermoplastics, 1933
Lenz, R. W. See Torres-Filho, A., 377
Leone, B. See Parravicini, L., 875
Li, B. See Yang, Y., 1365
Li, C.-H.
—; Chen, C.-C.; Chen, K.-M.: Studies on the Synthesis and Properties of Copolyesterimide, 1751
Li, G. See Yang, Y., 1365
Li, H. See Ruckenstein, E., 1949
Li, J. See Mai, K., 1279
Li, J. X.
—; Hiltner, A.; Baer, E.: Fractography and Failure Mechanisms of Particulate-Filled Thermoplastic Polyester, 269
—; Silverstein, M.; Hiltner, A.; Baer, E.: The Ductile-to-Quasi-Brittle Transition of Particulate-Filled Thermoplastic Polyester, 255
—; Twigg, M. V.; Hiltner, A.; Baer, E.: PVC/MBS Blends with Small Concentrations of PET: Failure Processes in Thin Films During Uniaxial Tension, 285
Li, J. X. See Bazhenov, S., 243
Li, M.-S. See Hsia, H.-C., 1137
Li, R. Y. See Liu, J., 945; Wang, P. H., 1667
Li, T.
—; Henry, S.; Silverstein, M. S.; Hiltner, A.; Baer, E.: Blend Structure of Commingled Plastic from Recycled Polyethylene and Polystyrene, 301
—; Silverstein, M. S.; Hiltner, A.; Baer, E.: Mechanical Properties of Commingled Plastic from Recycled Polyethylene and Polystyrene, 315
Li, Y.-S. See Hsia, H.-C., 1137
Liao, Z.-L.
—; Chang, F.-C.: Mechanical Properties of the Rubber-Toughened Polymer Blends of Polycarbonate (PC) and Poly(Ethylene Terephthalate) (PET), 1115
Lim, W. W.
—; Hatano, Y.; Mizumachi, H.: Fracture Toughness of Adhesive Joints. I. Relationship Between Strain Energy Release Rates in Three Different Fracture Modes and Adhesive Strengths, 967
Lin, C.-A. See Hwang, K.-S., 1181

Lin, C.-C. See Lee, S.-C., 869
Lin, C.-H. See Hwang, K.-S., 1181
Lin, L.
—; Yoshioka, M.; Yao, Y.; Shiraishi, N.: Liquefaction of Wood in the Presence of Phenol Using Phosphoric Acid as a Catalyst and the Flow Properties of the Liquefied Wood, 1629
—; See Zhao, Z., 1529
Lisy, F.
—; Hiltner, A.; Baer, E.; Katz, J. L.; Meunier, A.: Application of Scanning Acoustic Microscopy to Polymeric Materials, 329
Liu, J.
—; Wang, P. H.; Li, R. Y.: Continuous Carbonization of Polyacrylonitrile-Based Oxidized Fibers: Aspects on Mechanical Properties and Morphological Structure, 945
—; See Wang, P. H., 1667
Löfgren, A.
—; Albertsson, A.-C.: Copolymers of 1,5-Dioxepan-2-one and L- or D,L-Dilactide: Hydrolytic Degradation Behavior, 1327
Loucheux, C. See Ulrich, M., 387

Ma, C.-C. M. See Hsia, H.-C., 1137
Maciel, G. E. See Chuang, I.-S., 1637
MacKnight, W. J. See Vuković, R., 1499
Magagnini, P. L. See Valenza, A., 1653
Mai, K.
—; Li, J.; Zeng, H.: Mechanical Property and Fracture Morphology of Fiber-Reinforced Polysulfone Plasticized with Acetylene-Terminated Sulfone, 1279
Maiti, S. N.
—; Ghosh, K.: Thermal Characteristics of Silver Powder-Filled Polypropylene Composites, 1091
Malinarič, S.
Measurements of Ultrasonic Velocity and Attenuation in Biaxially Oriented Polypropylene Films Using Fast Fourier Transform, 1405
Marcus, H. L. See Vail, N. K., 789
Marks, M. J.
Interfacial Synthesis and Characterization of Random and Segmented Block Bisphenol A–Tetrabromobisphenol A Copolycarbonates, 467
Marks, M. J.
—; Brewster, S. L.; Sekinger, J. K.: Physical, Thermomechanical, and Rheological Properties of Bisphenol A–Tetrabromobisphenol A Copolycarbonates, 1809
Masilamani, D. See Smith, T. L., 591
Maxwell, I. A. See Janssen, E. A. W. G., 1913
Mazars, N. See Planche, M. F., 1867
McArdle, C. B. See McGettrick, B. P., 737
McCaffrey, R. R. See Femec, D. A., 501
McCullough, R. L. See Skourlis, T. P., 1241
McGettrick, B. P.
—; Vij, J. K.; McArdle, C. B.: Characterization of Model Anaerobic Adhesive Cure Using Real-Time Fourier Transform Infrared Spectroscopy and Dielectric Spectroscopy, 737
McLean, J. See Zhao, Z., 1529
Meissner, B. See Karásek, L., 1925
Menard, V. See Imbert, E., 91
Merklin, J. F. See Öztürk, Z., 747
Merlo, E. See Abis, L., 1431
Metwally, M. S.
—; Metwally, N. E.; Samy, T. M.: Synthesis and Studies of Egyptian Bagasse Pith Phenol Formaldehyde Cationic Exchangers, 61
Metwally, N. E. See Metwally, M. S., 61
Meunier, A. See Lisy, F., 329
Michielsen, S.
Effect of Moisture and Orientation on the Fracture of Nylon 6,6 Fibers, 1081
Migonney, V. See Imbert, E., 91
Min, B. K. See Oh, S. T., 583
Minkova, L. I. See Valenza, A., 1653
Miyagawa, T. See Yamashita, K., 577
Miyamoto, T. See Kobayashi, T., 1519
Mizumachi, H. See Lim, W. W., 967
Mizutani, Y. See Nagō, S., 1665
Mochizuki, M. See Kudo, K., 861
Mody, I. C. See Vyas, M. D., 1031
Mody, R. C. See Vyas, M. D., 1031
Moet, A. See Strebel, J. J., 1815
Monrabal, B.
Crystallization Analysis Fractionation: A New Technique for the Analysis of Branching Distribution in Polyolefins, 491
Moreland, C. G. See Moreland, J. C., 1175
Moreland, J. C.
—; Wilkes, G. L.; Moreland, C. G.; Sankar, S. S.; Stejskal, E. O.; Turner, R. B.: Solid-State NMR Characterization of Motion in Flexible Polyurethane Foams, 1175
—; Wilkes, G. L.; Turner, R. B.: Viscoelastic Behavior of Flexible Slabstock Polyurethane Foams as a Function of Temperature and Relative Humidity. II.

Compressive Creep Behavior, 569
—; Wilkes, G. L.; Turner, R. B.: Viscoelastic Behavior of Flexible Slabstock Polyurethane Foams: Dependence on Temperature and Relative Humidity. I. Tensile and Compression Stress (Load) Relaxation, 549
—; Wilkes, G. L.; Turner, R. B.; Rightor, E. G.: Characterization of Flexible Slabstock Foams Containing Lithium Chloride, 1459
Mori, T. See Freddi, G., 775
Morita, M.
Electrochromic Behavior and Stability of Polyaniline Composite Films Combined with Prussian Blue, 711
Mtsweni, B. See Pizzi, A., 1847
Murthy, P. S. See Chatterjee, A. K., 887
Myers, C. See Duvall, J., 195, 207
Myers, G. E. See Ebewele, R. O., 689
Myhre, O. J. See Andreassen, E., 1505
Mylonakis, S. G. See Abis, L., 1431; Cheng, C., 177

Nagai, S. See Agari, Y., 1223
Nagai, T. See Kobayashi, T., 1519
Nagō, S.
—; Mizutani, Y.: Erratum to "Microporous Polypropylene Sheets Containing Polymethylsilsesquioxane Filler", 1665
Nango, M. See Yamashita, K., 577
Narkis, M. See Shuster, M., 1383
Naskar, N.
—; Biswas, T.; Basu, D. K.: Polymer Blend: A Novel Method for the Preparation of a Natural Rubber–Carboxylated Nitrile Rubber Blend, 1007
Natarajan, K. M. See Abis, L., 1431
Navard, P. See Budtova, T. V., 721
Nazarenko, S. See Pollock, G., 163
Neelakantan, N. R. See Kumar, G., 483
Nishioka, N.
—; Tsuetaki, M.; Kato, R.; Uno, M.: Permeability Through Cellulose Membranes Grafted with Vinyl Monomers in a Homogeneous System. VIII. *N*-Vinylpyrrolidone-Grafted Cellulose Membranes, 959
Nixon, A. See Venkatraman, S., 1619
Nogues, P. See Vindevoghel, Ph., 1879
Nonaka, T.
—; Ogata, T.; Kurihara, S.: Preparation of Poly(vinyl alcohol)-*graft*-*N*-isopropylacrylamide Copolymer Membranes and Permeation of Solutes Through the Membranes, 951
Nonomura, C. See Yamada, T., 1393

O'Donnell, B.
—; White, J. R.; Holding, S. R.: Molecular Weight Measurement in Weathered Polymers, 1607
Odani, H. See Jia, L., 29
Ogata, T. See Nonaka, T., 951
Oh, S. T.
—; Min, B. K.; Ha, C. S.; Cho, W. J.: Synthesis and Fungicidal Activities of Polymeric Biocides. I. TBZ-Containing Monomer and Polymers, 583
Okuwaki, A. See Yoshioka, T., 1353
Orton, M. L. See Bucknall, C. B., 457
Öztürk, Z.
—; Merklin, J. F.: Fast Pyrolysis of Cellulose with Reactive Methane Gas in a Single-Pulse Shock Tube, 747

Paci, M. See Valenza, A., 1653
Paciello, G.
—; Saccani, A.; Sandrolini, F.; Frezzotti, D.; Callaioli, A.; Ravanetti, G. P.: Polymeric Thermoresistant Blends Based on POLY-SAN and Imidized PMMA: Thermal and Electrical Characterization, 1765
Pacynko, W. F. See Hamilton, L. M., 413
Pan, C. See Tong, J., 1373
Pan, J.
—; Shaw, W. J. D.: Properties of a Mechanically Processed Polymeric Material, 507
Parisi, J. P. See Boutevin, B., 449
Park, K. See Amiji, M. M., 539
Park, T. G.
—; Alonso, M. J.; Langer, R.: Controlled Release of Proteins from Poly(L-lactic acid) Coated Polyisobutylcyanoacrylate Microcapsules, 1797
—; Hoffman, A. S.: Deswelling Characteristics of Poly (*N*-isopropylacrylamide) Hydrogel, 85
Parker, A. A. See Armstrong, G. H., 997
Parravicini, L.
—; Leone, B.; Auriemma, F.; Guerra, G.; Petraccone, V.; Di Dino, G.; Bianchi, R.; Vosa, R.: Crystallization of Poly(Ethylene Terephthalate) (PET) from the Oriented Mesomorphic Form, 875
Parsons, W. See Pizzi, A., 1847
Patel, C. P. See Shah, S. B., 857
Patel, R. M. See Degroot, J. A., 365
Patkar, D. N. See Kamble, K. J., 1361
Patra, C. M.

—; Singh, B. C.: Influence of *N*-Acetylglycine on the Kinetics of the Ceric Ion-Initiated Graft Copolymerization of Acrylonitrile and Methyl Methacrylate onto Jute Fibers, 1557
—; Singh, B. C.: Micellar Effect on the Kinetics of Ceric Ion-Initiated Polymerization of Acrylonitrile in the Presence of Organic Substrate, 1549
Pearcy, B. G. See White, A. W., 525
Pekcan, Ö
—; Demir, Y.; Güven, O.: ESR Studies of Molecular Motions at the Interphase Region of a Blendlike Polymeric Material, 1539
Peng, C.-Z. See Wang, M.-L., 701
Pengilly, B.
Preface to "Contributions from the Center for Applied Polymer Research (CAPRI) of Case Western Reserve University", 119
Peppas, N. A.
—; Foster, L. K.: Strong Buffering Characteristics and Swelling Behavior of Cationic Copolymers, 763
Petraccone, V. See Parravicini, L., 875
Petřik, S. See Šimek, L., 1905
Pfluger, F. See Imbert, E., 91
Phatak, S. D. See Chatterjee, A. K., 887
Pith, T. See Harelle, L., 1105
Pizzi, A.
—; Mtsweni, B.; Parsons, W.: Wood-Induced Catalytic Activation of PF Adhesives Autopolymerization vs. PF/Wood Covalent Bonding, 1847
Planche, M. F.
—; Thiéblemont, J. C.; Mazars, N.; Bidan, G.: Kinetic Study of Pyrrole Polymerization with Iron(III) Chloride in Water, 1867
Pollock, G.
—; Nazarenko, S.; Hiltner, A.; Baer, E.: Interdiffusion in Microlayered Polymer Composites of Polycarbonate and a Copolyester, 163
Poncin-Epaillard, F.
—; Chevet, B.; Brosse, J.-C.: Study of an Aramid Surface Reactivity: Modification with a Cold Plasma or an Electron Beam Followed by a Postgrafting Reaction, 1047
Porter, R. S. See Courval, G., 1211
Prausnitz, J. M. See Baker, J. P., 783

Qin, C. See Wang, Y., 1411
Quillin, D. T.
—; Yin, M.; Koutsky, J. A.; Caulfield, D. F.: Crystallinity in the Polypropylene/Cellulose System. II. Crystallization Kinetics, 605

Radhakrishnan, G. See Ramaraj, B., 837
Radhakrishnan, N. See Derouet, D., 1309
Radhakrishnan, S.
—; Saini, D. R.: Structure and Dielectric Properties of Poly(Vinyl Chloride) Thermoplastic Elastomer Blends, 1577
Radiotis, T. See Caldas, V., 1939
Ramaraj, B.
—; Radhakrishnan, G.: Interpenetrating Hydrogel Networks Based on Gelatin and Polyacrylamide: Synthesis, Swelling, and Drug Release Analysis, 837
Rao, S. V. S.
—; Kothandaraman, H.; Sudhakar, M.; Lai, K. B.; Amalraj, R. V.: Immobilization of Spent Ion-Exchange Resins in the Urea-Formaldehyde Matrix, 1263
Ravanetti, G. P. See Paciello, G., 1765
Rebenfeld, L. See Reinsch, V. E., 649
Reinsch, V. E.
—; Rebenfeld, L.: Crystallization Processes in Poly(Ethylene Terephthalate) as Modified by Polymer Additives and Fiber Reinforcement, 649
Rhim, J.-W.
—; Sohn, M.-Y.; Lee, K.-H.: Pervaporation Separation of Binary Organic–Aqueous Liquid Mixtures Using Cross-Linked PVA Membranes. II. Phenol–Water Mixtures, 1217
Rightor, E. G. See Moreland, J. C., 1459
River, B. H. See Ebewele, R. O., 689
Robeson, L. M.
—; Axelrod, R. J.; Vratsanos, M. S.; Kittek, M. R.: Microfiber Formation: Immiscible Polymer Blends Involving Thermoplastic Poly(vinyl alcohol) as an Extractable Matrix, 1837
Romano, A. M.
—; Garbassi, F.; Braglia, R.: Rubber- and Thermoplastic-Toughened Epoxy Adhesive Films, 1775
Ruckenstein, E.
—; Li, H.: Toughened Polystyrene Composites by the Concentrated Emulsion Pathway, 1949

Saccani, A. See Paciello, G., 1765
Saini, D. R. See Radhakrishnan, S., 1577
Samal, R. K.
—; Bhuyan, B. L.: Chemical Modification of

Lignocellulosic Fibers I. Functionality Changes and Graftcopolymerization of Acrylonitrile onto Pineapple Leaf Fibers; Their Characterization and Behavior, 1675
Samantaray, B. K. See Sao, K. P., 1687, 1917
Samy, T. M. See Metwally, M. S., 61
Sandrolini, F. See Paciello, G., 1765
Sankar, S. S. See Moreland, J. C., 1175
Santerre, J. P.
—; Brash, J. L.: Microstructure of Polyurethane Ionomers Derivatized With Dodecylamine and Polyethylene Oxide in the Hard Segment, 515
Sao, K. P.
—; Samantaray, B. K.; Bhattacherjee, S.: Radial Distribution Function Analysis Study on Alkali and Heat-Treated Ramie Fiber, 1917
—; Samantaray, B. K.; Bhattacherjee, S.: X-Ray Study of Crystallinity and Disorder in Ramie Fiber, 1687
Sarmadi, M. See Denes, F., 1419
Sarraf, L. See Ulrich, M., 387
Sato, T. See Yoshioka, T., 1353
Sauer, B. B. See Simmons, H. E., III, 727
Schreiber, H. P. See Ulkem, I., 1857
Scola, D. A.
—; Wai, M.: The Thermo-Oxidative Stability of Fluorinated Polyimides and Polyimide/Graphite Composites at 371°C, 421
Seaver, A. E.
—; Berg, J. C.: Spreading of a Droplet on a Solid Surface, 431
Sekinger, J. K. See Marks, M. J., 1809
Sellitti, C. See Duvall, J., 195, 207
Seo, Y.
Semiempirical Models for Steady-Shear Viscosity and Prediction of First Normal Stress Function, 629
Shah, S. B.
—; Patel, C. P.; Trivedi, H. C.: Kinetics and Reaction Mechanism of Fenton's-Reagent-Initiated Graft Copolymerization of Acrylonitrile onto Sodium Alginate, 857
Shaw, W. J. D. See Pan, J., 507
Shiao, K.-R. See Wang, H.-H., 847
Shiozaki, H.
—; Tsukada, M.; Gotoh, Y.; Kasai, N.; Freddi, G.: Chemical Structure and Dynamic Mechanical Behavior of Silk Fibers Modified with Different Kinds of Epoxides, 1037
—; See Freddi, G., 769
Shiraishi, N. See Lin, L., 1629
Shuster, M.
—; Narkis, M.; Siegmann, A.: Catalytic Transesterification in Polycarbonate–Polycaprolactone Systems, 1383
Siegmann, A. See Shuster, M., 1383
Silverstein, M. See Li, J. X., 255
Silverstein, M. S.
—; Breuer, O.; Dodiuk, H.: Surface Modification of UHMWPE Fibers, 1785
—; See Li, T., 301, 315
Šimek, L.
—; Petřik, S.; Bohdanecký, M.: Melt Viscosity of Oligomeric Triblock Copolymers (Type PEP) of Ethylene and Propylene Oxides, 1905
Simmons, H. E., III
—; Hertler, W. R.; Sauer, B. B.: Phototackification of Polymer Blends, 727
Simon, G. P.
—; Zipper, M. D.; Hill, A. J.: On the Analysis of Positron Annihilation Lifetime Spectroscopy Data in Semicrystalline Miscible Polymer Blend Systems, 1191
Singh, B. C. See Patra, C. M., 1549, 1557
Skourlis, T. P.
—; McCullough, R. L.: Measurement of Diffusivity of a Liquid Diamine in Solid Epoxies Using Attenuated Total Reflectance Infrared Spectroscopy (FTIR-ATR), 1241
Smith, T. L.
—; Masilamani, D.; Bui, L. K.; Brambilla, R.; Khanna, Y. P.; Gabriel, K. A.: Acetals as Nucleating Agents for Polypropylene, 591
Smith-Palmer, T.
—; Campbell, N.; Bowman, J. L.; Dewar, P.: Flocculation Behavior of Some Cationic Polyelectrolytes, 1317
Snow, A. W.
—; Armistead, J. P.: A Simple Dilatometer for Thermoset Cure Shrinkage and Thermal Expansion Measurements, 401
Snyder, J.
—; Hiltner, A.; Baer, E.: Analysis of the Notch Tip Damage Zone in Biaxially Oriented Polypropylene, 231
—; Hiltner, A.; Baer, E.: Notch Tip Damage Zone in Biaxially Oriented Polypropylene at Low Temperature, 217
Sohn, M.-Y. See Rhim, J.-W., 1217
Somanathan, N.
Effect of Environmental Factors on the Mechanical Properties of Grafted Casein Films: Influence of

Temperature and Extension Rate, 1069
Soskey, P. R. See Cheng, C., 177
Souirti, A. See Imbert, E., 91
Špaček, P. See Špírková, M., 895
Špírková, M.
—; Kubín, M.; Špaček, P.; Krakovský, I.; Dušek, K.: Cyclotrimerization of Isocyanate Groups. I. Catalyzed Reactions of Phenyl Isocyanate, 895
Srića, V. See Vuković, R., 1499
Stejskal, E. O. See Moreland, J. C., 1175
Stewart, K. B. See Degroot, J. A., 365
Strebel, J. J.
—; Moet, A.: Time-Dependent Fracture Toughness Measure for Polyethylene, 1815
Subramanian, N. See Kumar, G., 483
Sudduth, R. D.
A Generalized Model to Predict the Viscosity of Solutions with Suspended Particles. IV. Determination of Optimum Particle-by-Particle Volume Fractions, 985
Sudhakar, M. See Rao, S. V. S., 1263
Suhng, Y. See Iroh, J. O., 1203
Sundberg, D. C. See Durant, Y. G., 1823
Sung, K.
—; Haderski, D.; Hiltner, A.; Baer, E.: Mechanisms of Interactive Crazing in PC/SAN Microlayer Composites, 147
—; Haderski, D.; Hiltner, A.; Baer, E.: The Craze-Tip Deformation Zone in PC/SAN Microlayer Composites, 135
Sung, K. See Haderski, D., 121
Supiot, Ph. See Callebert, F., 1595
Suzuki, K. See Fukudome, N., 1759
Szaplonczay, P. See Tóth, A., 1293
Sze, Y.-W. See Lee, S.-C., 869

Takens, G. A. J. See Terlingen, J. G. A., 39
Tao, B. Y. See Wang, P., 755
Terlingen, J. G. A.
—; Takens, G. A. J.; Van Der Gaag, F. J.; Hoffman, A. S.; Feijen, J.: On the Effect of Treating Poly(acrylic acid) with Argon and Tetrafluoromethane Plasmas: Kinetics and Degradation Mechanism, 39
Thames, S. F.
—; He, Z. A.: Synthesis, Characterization, and Coating Applications of Chlorinated Hydroxyrubber, 917
Thiéblemont, J. C. See Planche, M. F., 1867
Tokiwa, Y. See Iwamoto, A., 1357
Tollefson, N. M.
Influence of the Controlled Rheology Process (Vis-Breaking) on Additive Effectiveness in Polypropylene, 905
Tong, J.
—; Bai, R.; Zou, Y.; Pan, C.; Ichimura, S.: Flexibility Improvement of Epoxy Resin by Using Polysiloxanes and Their Derivatives, 1373
Torres-Filho, A.
—; Lenz, R. W.: Electrical, Thermal, and Photo Properties of Poly(phenylene vinylene) Precursors. II. Microwave-Induced Elimination Reactions in Precursor Polymer Films, 377
Tóth, A.
—; Bertóti, I.; Blazsó, M.; Bánhegyi, G.; Bognar, A.; Szaplonczay, P.: Oxidative Damage and Recovery of Silicone Rubber Surfaces. I. X-ray Photoelectron Spectroscopic Study, 1293
Tracz, A.
—; Jeszka, J. K.; Kryszewski, M.: Conductive Polymer Thermoelements (Note), 1005
Trivedi, H. C. See Shah, S. B., 857
Trochimczuk, A. W.
—; Alexandratos, S. D.: Synthesis of Bifunctional Ion-Exchange Resins through the Arbusov Reaction: Effect on Selectivity and Kinetics, 1273
Tsai, C.-C. See Lee, W.-F., 1447
Tsuda, K. See Yamashita, K., 577
Tsuetaki, M. See Nishioka, N., 959
Tsukada, M. See Freddi, G., 769, 775; Shiozaki, H., 1037
Tsutsui, I. See Freddi, G., 775
Turner, R. B. See Moreland, J. C., 549, 569, 1175, 1459
Twigg, M. V. See Li, J. X., 285

Ueda, A. See Agari, Y., 1223
Ulkem, I.
—; Schreiber, H. P.: Aspects of Surface Characterization of Polyurethane Adhesives, 1857
Ulrich, M.
—; Sarraf, L.; Loucheux, C.: Thermal Analysis of Silver Coatings Used for Tantalum Capacitors, 387
Uno, M. See Nishioka, N., 959

Vaidya, U. R.
—; Bhattacharya, M.: Properties of Blends of Starch and Synthetic Polymers Containing Anhydride Groups, 617
Vail, N. K.
—; Barlow, J. W.; Beaman, J. J.; Marcus, H. L.; Bourell, D. L.: Development of a

Poly(Methyl Methacrylate-*co*-*n*-Butyl Methacrylate) Copolymer Binder System, 789

Valenza, A.
—; La Mantia, F. P.; Minkova, L. I.; De Petris, S.; Paci, M.; Magagnini, P. L.: Rheological Behavior and Thermal Stability of Poly(Phenylene Sulfide)/Vectra-B950 Blends, 1653

Van Der Does, L. See Feng, M., 21

Van Der Gaag, F. J. See Terlingen, J. G. A., 39

Venkatraman, S.
—; Nixon, A.; Highe, A.: The Deformation Behavior of Poly(dimethyl siloxane) Networks. II. Equilibrium Swelling, 1619

Vert, M. See Villain, F., 55

Vij, J. K. See McGettrick, B. P., 737

Villain, F.
—; Coudane, J.; Vert, M.: Titration of Aldehydes Present in Poly(Ethylene Terephthalate), 55

Vindevoghel, Ph.
—; Nogues, P.; Guyot, A.: Suspended Emulsion, A New Process for Vinyl Chloride Polymerization: Morphology Control Through Surface Active Additives, 1879

Vosa, R. See Parravicini, L., 875

Vratsanos, M. S. See Robeson, L. M., 1837

Vuković, R.
—; Bogdanić, G.; Kurešević, V.; Srića, V.; Karasz, F. E.; MacKnight, W. J.: Miscibility in Blends of Sulfonylated Poly(2,6-dimethyl-1,4-phenylene oxide) and Poly(*p*-bromostyrene-*co*-*o*-bromostyrene), 1499

Vyas, M. D.
—; Mody, R. C.; Mody, I. C.: Development and Characterization of Cellulose Acetate Benzoate Flat Osmotic Membranes, 1031

Wai, M. See Scola, D. A., 421

Wang, H.-H.
—; Shiao, K.-R.: Preparation and Physical Properties of Polyurethane Modified with Poly(4,4′-diphenylsulfone Terephthalamide), 847

Wang, L.-H. See Courval, G., 1211

Wang, M.-L.
—; Peng, C.-Z.: Kinetics of Synthesizing 2,4,6-Tribromophenyl Benzyl Ether in a Triphase Catalysis, 701

Wang, P.
—; Tao, B. Y.: Synthesis and Characterization of Long-Chain Fatty Acid Cellulose Ester (FACE), 755

Wang, P. H.
—; Liu, J.; Li, R. Y.: Physical Modification of Polyacrylonitrile Precursor Fiber: Its Effect on Mechanical Properties, 1667
—; See Liu, J., 945

Wang, T. C. See Hong, S. G., 1339

Wang, Y.
—; Ji, D.; Yang, C.; Zhang, H.; Qin, C.; Huang, B.: Structure and Properties of Maleated High-Density Polyethylene, 1411

Watanabe, M. See Kudo, K., 861

White, A. W.
—; Buchanan, C. M.; Pearcy, B. G.; Wood, M. D.: Mechanical Properties of Cellulose Acetate Propionate/Aliphatic Polyester Blends, 525
—; Gardner, R. M., 1477

White, J. L. See Kye, H., 1249

White, J. R. See O'Donnell, B., 1607

Wilkes, G. L. See Moreland, J. C., 549, 569, 1175, 1459

Woo, E. See Wu, C.-J., 1695

Woo, S. I. See Kim, I., 1739

Wood, M. D. See White, A. W., 525

Wu, C. T. See Kuo, Y. M., 1165

Wu, C.-J.
—; Kuo, J.-F.; Chen, C.-Y.; Woo, E.: Effects of Reactive Functional Groups in the Compatibilizer on Mechanical Properties of Compatibilized Blends, 1695

Wu, Q. See Chen, R., 437

Wu, W. H. See Kuo, Y. M., 1165

Wu, X. See Zhao, Z., 1529

Xanthos, M. See Yu, D. W., 99

Xiao, W.
Polypropylene/Poly(Vinyl Acetate) Blend Fiber, 1023

Xu, C. See Bao, J., 1489

Xu, J. See Jia, L., 29

Xu, J. R. See Balik, C. M., 975

Xue, Y.
—; Chen, Z.; Frisch, H. L.: Pseudo Interpenetrating Polymer Networks of High Molecular Weight Polychloroprene and *cis*-1,4-Polybutadiene (Note), 1833

Yamabe, K. See Egawa, H., 1153

Yamada, E. See Furukawa, J., 1587

Yamada, T.
—; Nonomura, C.: Attempt to Reduce Bowing Distortion in Tentering of Film, 1393

Yamashita, K.
—; Kyo, S.; Miyagawa, T.; Nango, M.; Tsuda, K.: Synthesis and Characterization of Liquid Crystal Photoresist, 577

Yan, R. J.
—; Yang, B.: Effect of Antioxidants on Properties and Morphology of Poly(Acrylonitrile–Butadiene–Styrene)/Polycarbonate Blends, 1063

Yang, B. See Yan, R. J., 1063

Yang, C. See Wang, Y., 1411
Yang, Y.
—; Yin, J.; Li, B.; Zhuang, G.; Li, G.: Fracture Toughness and Morphology of Phenolphthalein Poly(ether sulfone)–Thermotropic Liquid Crystalline Polymer Blends, 1365
Yao, Y. See Lin, L., 1629
Yashima, E. See Fukudome, N., 1759
Yen, M. S.
—; Cheng, K. L.: The Effects of Soft Segments on the Physical Properties and Water Vapor Permeability of H_{12}MDI-PU Cast Films, 1707
Yin, J. See Yang, Y., 1365
Yin, M. See Quillin, D. T., 605
Yoshioka, M. See Lin, L., 1629
Yoshioka, T.
—; Sato, T.; Okuwaki, A.: Hydrolysis of Waste PET by Sulfuric Acid at 150°C for a Chemical Recycling (Note), 1353
Young, R. See Denes, F., 1419
Yu, D. W.
—; Xanthos, M.; Gogos, C. G.: LDPE/PP Blends Modified by Peroxide and Radiation Induced Reactions, 99
Zeng, H. See Mai, K., 1279
Zhang, H. See Wang, Y., 1411
Zhang, X. C. See Bucknall, C. B., 457
Zhao, Z.
—; Wu, X.; Lin, Y.; McLean, J.: Morphological Studies of Bisphenol Series Thermotropic Liquid Crystalline Wholly Aromatic Copolyesters, 1529
Zhuang, G. See Yang, Y., 1365
Zipper, M. D. See Simon, G. P., 1191
Zirkzee, H. F. See Janssen, E. A. W. G., 1913
Zou, Y. See Tong, J., 1373